


Formica® Collection

Woods



F1004
Pale Ash

F8845
Bleached Legno



F9229
Dark Sky Birchply

Woods



F8576
Blond Cedar



F1004
Pale Ash



F8579
Belvedere Beech



F8580
Satin Oak



F1549
Tromso Maple

Woods



F8902
White Painted Wood



F8577
Fjord Elm



F8578
Sund Elm



F8841
White Ash




F8841
White Ash




F6305
Limed Strand



F1079
Natural Oak



F8843
Natural Ash



F8843
Natural Ash



F7555
Manitoba Maple



F3855
Clear Maple



F2726
Natural Beech



F0190
Finn Beech

Woods



F8585
Evergreen Oak



F8844
Aged Ash



F7921
Birch



F6930
Natural Cane



F5374
Elegant Oak




F5374
Elegant Oak




F5147
Sombre Walnut



F3699
Rattan Cane



F6149
Light Oak



F5486
Classic Walnut



F2884
Vosges Pear



F1139
Country Cherry



F1293
Redwood

Woods



F5883
Pecan Woodline



F5883
Pecan Woodline



F5372
Vintage Wood



F8853
Rural Oak



F8853
Rural Oak



F5887
Millennium Oak



F7603
Bio-Oak



F5370
Ivory Oak Cross



F1062
Smoked Oak



F5483
Mocca Firwood



F8583
Carpentry Oak



F8584
Quercus Beige


Woods




F1548
Mocha Cedar



F5782
Formal Walnut



F6926
Smoky Walnut Woodline



F5884
Chestnut Woodline



F8847
Jarrah Legno



F8847
Jarrah Legno




F9012
Ebony



F1614
Punga Punga Wood



F5487
Oiled Walnut



F8849
Natural Teak



F6932
Macchiato Walnut



F6932
Macchiato Walnut



F5150
American Walnut

Woods



F5373
Nocturne Wood



F6306
Wenge Strand



F6209
Prestige Walnut



F5489
Espresso Pear



F8589
Tula Oak



F5872
Refined Walnut



F8581
Quercus Marron

Woods



F8586
Cetina Walnut



F8570
Flute Oak



F8587
Peruca Walnut



F8588
Nevada Oak



F8588
Nevada Oak



F8845
Bleached Legno

Woods



F5873
Ventura Oak



F8575
Dark Ash



F1547
Noir Cedar



F8839
Ashen Ribbonwood



F8006
Avignon Walnut



F8006
Avignon Walnut



F0873
Ebony Ribbonwood



F8848
Blackened Legno



F8848
Blackened Legno



F6307
Burnt Strand



F5477
Ebony Oak Cross



F5488
Smoky Brown Pear



F8851
Classic Wenge



F8851
Classic Wenge

Woods



F9484
Oxidized Beamwood



F6410
Weathered Beamwood



F9480
Salvage Planked Elm



F6477
Seasoned Planked Elm

Woods



F6372
White Washed Birchply



F8910
Raw Birchply



F8911
Green Slate Birchply



F9229
Dark Sky Birchply



F8552
Black Birchply

Woods

Sheet size (mm)

3050x1300

2150x950

2350x950

2350x1300

3660x1525

Code	Décor	Light Reflectance Value	Grade: HGP CGS	Grade: HGS CGS	Grade: HGS CGS	Grade: HGS CGS	Grade: HGP CGS
F0190	Finn Beech	40.8	MAT	MAT	MAT	MAT	
F0873	Ebony Ribbonwood	9.1	MAT	MAT	MAT	MAT	
F1004	Pale Ash	62.1	NAT	NAT	NAT	NAT	
F1062	Smoked Oak	31.7	NAT				
F1079	Natural Oak	49.0	NAT	NAT	NAT	NAT	
F1139	Country Cherry	21.0	MAT				
F1293	Redwood	12.7	MAT	MAT	MAT	MAT	
F1547	Noir Cedar	10.3	MAT	MAT	MAT	MAT	MAT
F1548	Mocha Cedar	28.8	MAT	MAT	MAT	MAT	MAT
F1549	Tromso Maple	54.9	MAT	MAT	MAT	MAT	MAT
F1614	Punga Punga Wood	8.0	MAT	MAT	MAT	MAT	
F2726	Natural Beech	55.5	MAT	MAT	MAT	MAT	
F2884	Vosges Pear	25.2	MAT	MAT	MAT	MAT	
F3699	Rattan Cane	23.7	NAT				
F3855	Clear Maple	52.2	MAT	MAT	MAT	MAT	
F5147	Sombre Walnut	14.1	MAT				
F5150	American Walnut	14.6	MAT				MAT
F5370	Ivory Oak Cross	43.8	MAT	MAT	MAT	MAT	
F5372	Vintage Wood	25.2	MAT	MAT	MAT	MAT	
F5373	Nocturne Wood	14.7	MAT	MAT	MAT	MAT	
F5374	Elegant Oak	35.0	MAT/ NAT	MAT/ NAT	MAT/ NAT	MAT/ NAT	MAT
F5477	Ebony Oak Cross	11.4	MAT	MAT	MAT	MAT	
F5483	Mocca Firwood	32.0	LNW	LNW	LNW	LNW	
F5486	Classic Walnut	30.5	MAT	MAT	MAT	MAT	
F5487	Oiled Walnut	18.6	MAT				
F5488	Smoky Brown Pear	14.8	NAT	NAT	NAT	NAT	
F5489	Espresso Pear	9.8	NAT				
F5782	Formal Walnut	16.1	NAT	NAT	NAT	NAT	
F5872	Refined Walnut	11.0	NAT	NAT	NAT	NAT	
F5873	Ventura Oak	32.4	NAT	NAT	NAT	NAT	
F5883	Pecan Woodline	27.4	MAT / NAT	MAT	MAT	MAT	
F5884	Chestnut Woodline	13.9	MAT				
F5887	Millennium Oak	26.7	PGN	PGN	PGN	PGN	
F6149	Light Oak	29.0	MAT	MAT	MAT	MAT	
F6209	Prestige Walnut	8.8	MAT				
F6305	Limed Strand	66.7	MAT				
F6306	Wenge Strand	11.0	MAT				
F6307	Burnt Strand	15.1	MAT				
F6372	White Washed Birchply	69.4	NAT				
F6410	Weathered Beamwood	35.4	PGN				
F6477	Seasoned Planked Elm	24.9	PGN				

Woods

Sheet size (mm)

3050x1300

2150x950

2350x950

2350x1300

3660x1525

Code	Décor	Light Reflectance Value	Grade: HGP CGS	Grade: HGS CGS	Grade: HGS CGS	Grade: HGS CGS	Grade: HGP CGS
F6926	Smoky Walnut Woodline	22.3	MAT				
F6930	Natural Cane	49.1	NAT	NAT	NAT	NAT	
F6932	Macchiato Walnut	15.8	MAT / NAT	MAT	MAT	MAT	MAT
F7555	Manitoba Maple	62.0	MAT				
F7603	Bio-Oak	43.0	MAT	MAT	MAT	MAT	
F7921	Birch	52.2	MAT	MAT	MAT	MAT	
F8006	Avignon Walnut	35.4	MAT/ NAT	MAT	MAT	MAT	
F8552	Black Birchply	8.8	NAT	NAT	NAT	NAT	
F8570	Flute Oak	42.3	NAT				
F8575	Dark Ash	11.2	NAT	NAT	NAT	NAT	
F8576	Blond Cedar	54.4	MAT	MAT	MAT	MAT	
F8577	Fjord Elm	60.5	NAT				
F8578	Sund Elm	47.4	NAT				
F8579	Belvedere Beech	50.6	NAT	NAT	NAT	NAT	
F8580	Satin Oak	45.0	PGN				
F8581	Quercus Marron	13.6	NAT				
F8583	Carpentry Oak	38.6	NAT	NAT	NAT	NAT	
F8584	Quercus Beige	37.0	NAT				
F8585	Evergreen Oak	31.3	LNW	LNW	LNW	LNW	
F8586	Cetina Walnut	27.9	MAT	MAT	MAT	MAT	
F8587	Peruca Walnut	42.6	MAT	MAT	MAT	MAT	
F8588	Nevada Oak	30.6	MAT/ PGN	MAT/ PGN	MAT/ PGN	MAT/ PGN	MAT
F8589	Tula Oak	12.9	PGN	PGN	PGN	PGN	
F8839	Ashen Ribbonwood	43.0	MAT	MAT	MAT	MAT	
F8841	White Ash	69.7	MAT / NAT	MAT	MAT	MAT	MAT
F8843	Natural Ash	53.3	MAT / NAT	MAT	MAT	MAT	MAT
F8844	Aged Ash	38.9	NAT	NAT	NAT	NAT	
F8845	Bleached Legno	21.8	NAT				
F8847	Jarrah Legno	11.5	MAT / NAT	MAT	MAT	MAT	MAT
F8848	Blackened Legno	8.0	MAT / NAT	NAT	NAT	NAT	
F8849	Natural Teak	15.5	MAT				
F8851	Classic Wenge	9.4	LNW/ MAT	LNW	LNW	LNW	MAT
F8853	Rural Oak	32.9	PGN/ MAT	PGN	PGN	PGN	MAT
F8902	White Painted Wood	73.6	PGN				
F8910	Raw Birchply	48.5	NAT	NAT	NAT	NAT	
F8911	Green Slate Birchply	19.1	NAT				
F9012	Ebony	9.6	NAT	NAT	NAT	NAT	
F9229	Dark Sky Birchply	15.2	NAT				
F9480	Salvage Planked Elm	24.4	PGN				
F9484	Oxidized Beamwood	17.5	PGN				

Product grades, finishes and accreditations.

This Collection incorporates the following grades of decorative laminate each with its own performance characteristics.
These grades conform to EN438:2016.



Formica® Laminate

Sheets (thin) consisting of layers of wood-based fibers impregnated with thermosetting resins and a surface décor on one side

Grade: **HPL/EN 438-3 HGP:** Horizontal, General Purpose, Postforming high pressure decorative laminate
HPL/EN 438-3 HGS: Horizontal, General Purpose, Standard high pressure decorative laminate

Thickness: 0.7 mm (nominal), single sided

Additional flame retardant grades are available on request (please check for available options)



Formica® Compact

Sheets (thick) consisting of layers of wood-based fibers impregnated with thermosetting resins and surface décor on one or both sides

Grade: **HPL/EN 438-4 CGS:** Compact, General Purpose, Standard high pressure decorative laminate

Thickness: Single sided 2, 2.5, 3 mm / Double sided 4, 6, 8, 10, 12, 13, 16, 18, 20 mm

Additional flame retardant grades are available on request (please check for available options)

Product data sheets, including applicable fire rating, can be accessed on **formica.info**

Available surface finishes and recommended applications

Surface Finish Description	Surface Finish Designation	Code	Recommended applications	
			Horizontal (& Vertical), General purpose	Vertical and Light-duty horizontal
Linewood	LNW	LW	•	
Matte 58	MAT	58	•	
Naturelle	NAT	NT		•
Puregrain	PGN	35	•	

General

The information given in this brochure is correct at the time of publication. However, as we have a policy of constant product development and improvement, product specifications may change in the future. We recommend visiting formica.com as the most up-to-date source of information. Not all certifications stated are applicable or available for all Formica® products. Please check that the product you require is covered by a relevant certification or is suitable for your specific application, in advance of order placement. Formica Group is FSC® certified and complies with the requirements of FSC. Network of participating European Formica Group sites is shown on certificate number TT-COC 003588.

Light Reflectance Value

Light Reflectance Value (LRV) is a value indicating the proportion of light reflected by a colour, when measured under standard daylight conditions. This guidance uses a scale of 0-100, where 0 = black and therefore total light absorption, whereas white = 100 and therefore total light reflection. The main purpose of this value is to indicate measured colour contrast between two surfaces, which need to be readily distinguishable within an environment (under static conditions, a difference of 30 units between two colours is considered adequate). LRVs stated may or may not be exact and are provided for guidance only.

Please note

For non-solid colour decors, where there are multiple colours across the design, the stated LRV is an average value taken from multiple measurements across the décor and must be used with caution. The individual colours in a pattern, woodgrain or stone design can differ more than 30 LRV units within the design itself.

Disclaimer General

The information provided by Formica Group ("Formica") in this document is solely indicative. The information given in this brochure is correct at the time of publication. However, as we have a policy of constant product development and improvement, product specifications may change in the future. Visit www.formica.com as the most up-to-date source of information. Formica does not warrant that the information in this document is suitable for your specific purpose. Colour system notations represent the closest match available in the particular system. They may or may not be exact and are provided for guidance only. When exact colour information is required, please always refer to an actual laminate sample in the specified finish.

Liability

Formica is not liable (neither contractual nor non-contractual) for any damage arising from or related to the use of this document, except if and to the extent that such damage is the result of willful misconduct or gross negligence on the part of Formica and/or its management. The limitation of liability applies to all parties affiliated with Formica, including but not limited to its officers, directors, employees, affiliated enterprises, suppliers, distributors, agents, and representatives.

General Conditions

All sales of Formica® brand products are governed by the Formica General Terms and Conditions of Sale in effect at the time of sale and contained in every order acknowledgement and are available upon request.


Intellectual Property

All intellectual property rights and other rights regarding the content of this document (including logos, marks, text and photographs) are owned by Formica Group and/or its licensors.

Formica and the Formica Anvil Device are registered trademarks of The Diller Corporation.
© 2021 The Diller Corporation



The mark of
responsible forestry



IMO-MED

